



- KEYED NOTES**
- 1 TYPICAL COLUMN: MODEL NO. MC-121 © NTP, FIBERGLASS LOAD BEARING COLUMNS (14,000 LBS) RATED LOAD BEARING CAPACITY AS PER OUTWATER, LLC (WWW.OUTWATER.COM) WITH TOSCAN CAP AND BASE.
 - 2 PROVIDE AND INSTALL CONCEALED MEMBRANE FLASHING OVER AND AROUND ALL EXTERIOR WALL PENETRATIONS (WINDOWS, DOORS, LOUVERS, ETC.)
 - 3 HARDIPUR XLD TRIM BOARD, 1" THICK SIZES AS REQUIRED TO MATCH EXISTING AT WINDOW TRIM AND CLOSEURE TRIM AT TOP OF WALL. AROUND ALL WINDOWS AND AT TOP OF WALL, TYPICAL.
 - 4 CERTAINTED WOODSCAPE PREMIUM FIBERGLASS ASPHALT SHINGLE(S30 LB/SQ), 10 YEAR 90MPH WARRANTY, INSTALLED OVER 15LB FELT UNDERLAMENT AND ICE DAM MEMBRANE AT ALL EDES (EXTEND 3 FEET BEYOND OUTSIDE WALL FACE BELOW)
 - 5 CERTAINTED CONTINUOUS ROOF RIDGE VENT (SHINGLE OVER)
 - 6 LAY FLASHING UNDERNEATH EXISTING ROOF MATERIAL FOR ADEQUATE WATER PROOFING AND PROTECTION BETWEEN EXISTING AND NEW ROOFS.
 - 7 EXTERIOR BUILDING FINISH SYSTEM TO BE STO CORP. STOTHELM SYSTEM CLASSIC NEXT FIN. AS PER SPECIFICATIONS AND SECTIONS. INSTALL AS REQUIRED BY MANUFACTURERS RECOMMENDATIONS. SYSTEM TO BE ULTRA HIGH IMPACT RATED WHERE GRADE OR ADJACENT HORIZONTAL SURFACES ARE WITHIN 6" OF SURFACE.

NO.	REVISIONS / SUBMISSIONS	DATE

PROJECT
STANFORD TOWN HALL ADDITION
STANFORD, NEW YORK

DRAWING
EXTERIOR ELEVATIONS
FRONT AND REAR

SCALE
1/8" = 1'-0"

DATE
5/13/08

PROJECT NUMBER
6129

DRAWING NUMBER
A2.0

McCorrmack
Van Voorhis LP
 ARCHITECTURE
 PLANNING
 INTERIORS

181 CHURCH STREET
 Poughkeepsie, New York 12601
 PHONE 845-452-2268 FAX 845-452-3752
 WWW.LMWVARCHITECTS.COM

FILE P:\2006\6129-Stanford T.H. Addit\Conditions\6129-02-Elev Drawings.dwg